








ISOCANDELA DIAGRAM




C Range: 0 - 360DEG  
C Interval: 5.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:001  
Test Date:2016-05-24

γ Range: 0 - 90DEG  
γ Interval: 0.5DEG

Humidity:65.0%  
Test Distance:13.000m [K=1.0000]  
Remarks:

AAI Figure




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

C Range: 0 - 360DEG  
C Interval: 5.0DEG  
Test Speed: HIGH  
Temperature: 25.3DEG  
Operators: 001  
Test Date: 2016-05-24

γ Range: 0 - 90DEG  
γ Interval: 0.5DEG  
Humidity: 65.0%  
Test Distance: 13.000m [K=1.0000]  
Remarks:


**ISOLUX DIAGRAM**



C Range: 0 - 360DEG  
C Interval: 5.0DEG  
Test Speed: HIGH  
Temperature: 25.3DEG  
Operators: 001  
Test Date: 2016-05-24

$\gamma$  Range: 0 - 90DEG  
 $\gamma$  Interval: 0.5DEG  
Humidity: 65.0%  
Test Distance: 13.000m [K=1.0000]  
Remarks:

Planar Illuminance Curve



C Range: 0 - 360DEG  
C Interval: 5.0DEG  
Test Speed: HIGH  
Temperature: 25.3DEG  
Operators: 001  
Test Date: 2016-05-24

$\gamma$  Range: 0 - 90DEG  
 $\gamma$  Interval: 0.5DEG  
Humidity: 65.0%  
Test Distance: 13.000m [K=1.0000]  
Remarks: